10 Acres & A Dream Online Workshop Day 2

March 19: What's Under Your Feet? Introduction to the Web Soil Survey











The USDA-NRCS tool
Web Soil Survey
provides a wealth of
information about
your land




Simply google Web Soil Survey






First step: Locate your property and define an Area of Interest (AOI)



Outlining an area of interest

- Click on the AOI tool, either the rectangle or polygon. I find the rectangle easier to use.
- Position the cursor that appears on the upper left of the area you wish to delineate.
- Drag the cursor to the bottom right area and release it.
- A new box will be created with blue diagonal lines.

Let's start by exploring the Soil Map tab.



Clicking on a blue soil name will give you a mapping unit description:

- 167—Rubson ashy silt loam, 8 to 15 percent slopes
- Map Unit Setting
- National map unit symbol: 5421
- *Elevation:* 2,100 to 2,700 feet
- Mean annual precipitation: 25 to 30 inches
- Mean annual air temperature: 42 to 45 degrees F
- Frost-free period: 100 to 135 days
- Farmland classification: Not prime farmland
- Map Unit Composition
- Rubson and similar soils: 85 percent
- Estimates are based on observations, descriptions, and transects of the mapunit.

Map Unit Composition

Rubson and similar soils: 85 percent

Estimates are based on observations, descriptions, and transects of the map unit.

Description of Rubson

Setting

Landform: Terraces

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Volcanic ash and/or loess over glaciolacustrine deposits

Typical profile

Oi - 0 to 2 inches: slightly decomposed plant material

Oe - 2 to 3 inches: moderately decomposed plant material

A - 3 to 5 inches: ashy silt loam

Bw1 - 5 to 11 inches: ashy silt loam

Bw2 - 11 to 17 inches: ashy silt loam

Bt1 - 17 to 26 inches: silt loam

Bt2 - 26 to 32 inches: silt loam

Bt3 - 32 to 35 inches: silt loam

Bt4 - 35 to 53 inches: very fine sandy loam

Bt5 - 53 to 58 inches: very fine sandy loam

C - 58 to 68 inches: loamy very fine sand

Properties and qualities

Slope: 8 to 15 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None


Frequency of ponding: None

Available water storage in profile: High (about 11.8 inches)


Interpretive groups

Land capability classification (irrigated): None specified

Soil Data Explorer: Determining properties and capabilities




Let's look at Soil Chemical Properties



Soil pH data

- You must select a number of options
- Choose default options for displaying as a map, in a table, and to give descriptions of the ratings.
- In the Advance Options, choose the following options:
 - Weighted average for the Aggregation Method
 - Specify the depth range, such as 0 to 12
 - Specify the units in inches
- Click on View Rating



Results are displayed in a map and a table





Table displays pH by soil type


Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
101	Dufort-Rock outcrop-Kriest complex, 35 to 65 percent slopes	6.4	12.8	1.0%
103	Artnoc silt loam, 35 to 75 percent slopes	6.1	43.0	3.3%
110	Crash silt loam, 35 to 75 percent slopes	6.8	28.9	2.2%
114	Dufort ashy silt loam, 35 to 65 percent slopes	6.4	57.1	4.4%
126	Idamont ashy silt loam, 15 to 35 percent slopes	6.6	18.3	1.4%
134	Elmira loamy fine sand, 15 to 35 percent slopes	6.5	310.4	24.0%
136	Pend Oreille ashy silt loam, 15 to 35 percent slopes	6.5	6.4	0.5%
137	Pend Oreille ashy silt loam, 35 to 65 percent slopes	6.5	12.8	1.0%
166	Rubson ashy silt loam, 2 to 8 percent slopes	5.9	59.5	4.6%
167	Rubson ashy silt loam, 8 to 15 percent slopes	6.2	79.6	6.2%
172	Seelovers silt loam, drained, 0 to 2 percent slopes	6.2	77.1	6.0%
174	Selle ashy fine sandy loam, 0 to 7 percent slopes	6.1	100.7	7.8%
175	Selle-Elmira complex, 0 to 20 percent slopes	6.4	258.8	20.1%
190	Wishbone-Caboose complex, 35 to 75 percent slopes	6.5	57.3	4.4%
191	Dufort-Rock outcrop-Kriest complex, 15 to 35 percent slopes	6.4	2.8	0.2%
199	Seelovers-Typic Fluvaquents-Aquic Udifluvents complex, 0 to 4 percent slopes	6.2	86.9	6.7%
200	Pywell-DeVoignes complex, partially drained, 0 to 2 percent slopes	6.5	32.8	2.5%
201	Pywell muck, unprotected, undrained, 0 to 1 percent slopes	5.0	38.4	3.0%

All but Pywell Muck, undrained, has a relatively neutral value




Why is soil pH important?

How soil pH affects availability of plant nutrients.





Exploring Yields by Soil Mapping Unit and Crop

Check out the Suitabilities and Limitations for use



Yields of non-irrigated crops – estimated yields under normal conditions





Tables — Yields of Non-Irrigated Crops (Component): Alfalfa hay (Tons) — Summary By Map Unit




Summary by Map Unit — Boundary County Area, Idaho (ID601)

Summary by Map Unit — Boundary County Area, Idaho (ID601)



Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
134	Elmira loamy fine sand, 15 to 35 percent slopes		36.7	17.4%
172	Seelovers silt loam, drained, 0 to 2 percent slopes	2.71	62.9	29.8%
174	Selle ashy fine sandy loam, 0 to 7 percent slopes	2.00	12.1	5.7%
175	Selle-Elmira complex, 0 to 20 percent slopes		27.5	13.0%
199	Seelovers-Typic Fluvaquents-Aquic Udifluvents complex, 0 to 4 percent slopes		23.5	11.1%
200	Pywell-DeVoignes complex, partially drained, 0 to 2 percent slopes		31.2	14.8%
201	Pywell muck, unprotected, undrained, 0 to 1 percent slopes		17.2	8.2%
Totals for Area of Interest			211.1	100.0%



Tables — Range Production (Normal Year) — Summary By Map Unit Summary by Map Unit — Boundary County Area, Idaho (ID601) (3) Summary by Map Unit — Boundary County Area, Idaho (ID601) Rating (pounds Map Acres Percent unit Map unit name per acre per in AOI of AOI symbol year) 134 Elmira loamy fine sand, 15 to 35 1100 36.7 17.4% percent slopes 62.9 29.8% 172 Seelovers silt loam, drained, 0 to 2 249 percent slopes 5.7% 174 Selle ashy fine sandy loam, 0 to 7 900 12.1 percent slopes 175 27.5 13.0% Selle-Elmira complex, 0 to 20 1041 percent slopes 199 Seelovers-Typic Fluvaquents-Aquic 1647 23.5 11.1% Udifluvents complex, 0 to 4 percent slopes 31.2 200 Pywell-DeVoignes complex, 3595 14.8% partially drained, 0 to 2 percent slopes 3820 201 Pywell muck, unprotected, 17.2 8.2% undrained, 0 to 1 percent slopes Totals for Area of Interest 211.1 100.0%

Tables — Range Production (Favorable Year) — Summary By Map Unit



Summary by Map Unit — Boundary County Area, Idaho (ID601)



Summa	ary by Map Unit — Boundary County A	Area, Idaho (ID6	501)	
Map unit symbol	Map unit name	Rating (pounds per acre per year)	Acres in AOI	Percent of AOI
134	Elmira loamy fine sand, 15 to 35 percent slopes	1500	36.7	17.4%
172	Seelovers silt loam, drained, 0 to 2 percent slopes	351	62.9	29.8%
174	Selle ashy fine sandy loam, 0 to 7 percent slopes	1500	12.1	5.7%
175	Selle-Elmira complex, 0 to 20 percent slopes	1564	27.5	13.0%
199	Seelovers-Typic Fluvaquents-Aquic Udifluvents complex, 0 to 4 percent slopes	2844	23.5	11.1%
200	Pywell-DeVoignes complex, partially drained, 0 to 2 percent slopes	4350	31.2	14.8%
201	Pywell muck, unprotected, undrained, 0 to 1 percent slopes	4800	17.2	8.2%
Totals	Totals for Area of Interest			

$Tables-Range\ Production\ (Unfavorable\ Year)-Summary\ By\ Map\ Unit$



Summary by Map Unit — Boundary County Area, Idaho (ID601)

Summary by Map Unit — Boundary County Area, Idaho (ID601)



Summary by Map Offic Boundary Country Area, Idano (15001)					
Map unit symbol	Map unit name	Rating (pounds per acre per year)	Acres in AOI	Percent of AOI	
134	Elmira loamy fine sand, 15 to 35 percent slopes	700	36.7	17.4%	
172	Seelovers silt loam, drained, 0 to 2 percent slopes	144	62.9	29.8%	
174	Selle ashy fine sandy loam, 0 to 7 percent slopes	250	12.1	5.7%	
175	Selle-Elmira complex, 0 to 20 percent slopes	488	27.5	13.0%	
199	Seelovers-Typic Fluvaquents-Aquic Udifluvents complex, 0 to 4 percent slopes	469	23.5	11.1%	
200	Pywell-DeVoignes complex, partially drained, 0 to 2 percent slopes	2655	31.2	14.8%	
201	Pywell muck, unprotected, undrained, 0 to 1 percent slopes	2790	17.2	8.2%	
Totals for Area of Interest				100.0%	

